

Job name : QTCPSTSVRS User : QTCP Number : 014169
 Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPF1124	Information	00	02/04/09	13:55:48.190776	QWTPPIPP	QSYS	066E	*EXT		*N
					Message : Job 014169/QTCP/QTCPSTSVRS started on 02/04/09 at 13:55:46 in subsystem QSYSWRK in QSYS. Job entered system on 02/04/09 at 13:55:45.					
CPI1125	Information	00	02/04/09	13:55:48.199608	QWTPCRJA	QSYS	010F	*EXT		*N
					Message : Job 014169/QTCP/QTCPSTSVRS submitted. Cause : Job 014169/QTCP/QTCPSTSVRS submitted to job queue QSYSNOMAX in QSYS from job 014160/QTCP/QTCPIP. Job 014169/QTCP/QTCPSTSVRS was started using the Submit Job {SBMJOB} command with the following job attributes: JOBPTY{5} OUTPTY{5} PRTEXT{ } RTGDTA{RUNPTY20} SYSLIBL{QSYS QSYS2 QHLPSYS QUSRSYS} CURLIB{*CRTDFT} INLLIBL{ } INLASPGRP{*NONE} LOG{4 00 *SECLVL} LOGCLPGM{*NO} LOGOUTPUT{*JOBEND} OUTQ{ /*DEV} PRTDEV{PRT01} INQMSGRPY{*RQD} HOLD{*NO} DATE{*SYSVAL} SWS{00000000} MSGQ{QUSRSYS/QTCP} CCSID{65535} SRTSEQ{*N/*HEX} LANGID{ENU} CNTRYID{US} JOBMSGQMX{16} JOBMSGQFL{*WRAP} ALWMLTTHD{*NO} SPLFACN{*KEEP}.					
*NONE	Request		02/04/09	13:55:48.205520	QWTSCSBJ		*N	QCMD	QSYS	0194
					Message : -QSYS/CALL QSYS/QTOCSTSVRS					
CPC1221	Completion	00	02/04/09	13:55:55.595024	QWTCCSBJ	QSYS	01DC	QTGSTART	QTCP	03B8
					Message : Job 014171/QTCP/QTVELNET submitted to job queue QSYSNOMAX in library QSYS.					
CPC1221	Completion	00	02/04/09	13:55:56.982472	QWTCCSBJ	QSYS	01DC	QTGSTART	QTCP	0302
					Message : Job 014172/QTCP/QTVDEVICE submitted to job queue QSYSNOMAX in library QSYS.					
CPC1221	Completion	00	02/04/09	13:55:57.785688	QWTCCSBJ	QSYS	01DC	QTGSTART	QTCP	0302
					Message : Job 014173/QTCP/QTVDEVICE submitted to job queue QSYSNOMAX in library QSYS.					
CPC1221	Completion	00	02/04/09	13:55:58.570920	QWTCCSBJ	QSYS	01DC	QTGSTART	QTCP	0302
					Message : Job 014174/QTCP/QTVDEVICE submitted to job queue QSYSNOMAX in library QSYS.					
CPC1221	Completion	00	02/04/09	13:56:00.237368	QWTCCSBJ	QSYS	01DC	QTGSTART	QTCP	0302
					Message : Job 014175/QTCP/QTVDEVICE submitted to job queue QSYSNOMAX in library QSYS.					
TCP1A0F	Completion	00	02/04/09	13:56:00.322648	QTOCSRVR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : TELNET server starting.					
CPC1221	Completion	00	02/04/09	13:56:07.143304	QWTCCSBJ	QSYS	01DC	QC2SYS	QSYS	*STMT
					To module : QC2SYS To procedure : system Statement : 6 Message : Job 014176/QUSER/QRWTLSTN submitted to job queue QSYSNOMAX in library QSYS.					
CPI3E32	Information	00	02/04/09	13:56:07.272984	QRWTLSTC	QSYS	*STMT	QRWTLSTC	QSYS	*STMT
					From module : QRWTLSTC From procedure : SndMsg__Fs Statement : 58 To module : QRWTLSTC To procedure : SndMsg__Fs Statement : 58 Message : DDM TCP/IP server job successfully submitted. Cause : The job that listens for DRDA or DDM connect requests and dispatches prestart jobs to service them was successfully submitted. If					

Job name : QTCPSTSVRS User : QTCP Number : 014169
 Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					this job {QRWTLSTN in the QSYSWRK subsystem} is not successfully started, look for messages in the joblog for the job identified in the preceding CPC1221 message. Recovery . . . : No response is normally necessary. However, at least one prestart job named QRWTSRVR in the QSYSWRK subsystem should also be started, unless the prestart job entry for QRWTSRVR has been removed. The system will issue a command to start these jobs. A later message {CPI0952} will indicate if the start of prestart jobs is in progress, or message CPF0921 may be issued to indicate that the STRPJ command is not allowed now. If CPF0921 is issued, look at the reason code and take the appropriate recovery action. If the jobs were already started, no action is necessary. If the jobs were ending, you can re-start them manually with the STRPJ QSYSWRK QRWTSRVR command.					
TCP1A0F	Completion	00	02/04/09	13:56:07.579864	QTOCSRVR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : DDM server starting.					
TCP1A0F	Completion	00	02/04/09	13:56:42.544992	QTOCSRVR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : DIRSRV server starting.					
CPC1221	Completion	00	02/04/09	13:56:53.452184	QWTCCSBJ	QSYS	01DC	QTMFCOM1	QTCP	*STMT
					To module : QTMFPUTL To procedure : qtmf_SetupServer Statement : 223 Message : Job 014178/QTCP/QTFTP04238 submitted to job queue QSYSNOMAX in library QSYS.					
TCP1A0F	Completion	00	02/04/09	13:56:54.027384	QTOCSRVR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : FTP server starting.					
CPC1221	Completion	00	02/04/09	13:57:02.268208	QWTCCSBJ	QSYS	01DC	QC2SYS	QSYS	*STMT
					To module : QC2SYS To procedure : system Statement : 6 Message : Job 014180/QIBMHELP/QIBMHELP submitted to job queue QSYSNOMAX in library QSYS.					
TCP1A0F	Completion	00	02/04/09	13:57:02.330432	QTOCSRVR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : IBMHELP server starting.					
CPC2196	Completion	00	02/04/09	13:57:08.978200	QLICUSRL	QSYS	0113	QTMPPPTF	QTCP	*STMT
					To module : QTMPLPDS To procedure : DoCLCommand Statement : 39 Message : Library QTCP added to library list. Cause : If the ADDLIB command was used, QTCP was added to the user library list. If the CHGSYSLIBL command was used, QTCP was added to the system portion of the library list.					

Job name : QTCPSTSVRS User : QTCP Number : 014169
 Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
CPC2197	Completion	00	02/04/09	13:57:13.938760	QLICHLBL	QSYS	013C	QTMPPTF	QTCP	*STMT
					To module : QTMPLPDS			To procedure : DoCLCommand		
					Statement : 39			Message : Library QTCP removed from library list.		
					Cause : If the RMVLIBLE command was used, QTCP was removed from the user library list. If the CHGSYSLIBL command was used, QTCP was removed from the system portion of the library list.					
CPC2191	Completion	00	02/04/09	13:57:17.610368	QLIDLOBJ	QSYS	051B	QUSDLTUQ	QSYS	0032
					Message : Object QTMPSPRVQ in QTCP type *USRQ deleted.					
CPC2191	Completion	00	02/04/09	13:57:18.678024	QLIDLOBJ	QSYS	051B	QUSDLTUQ	QSYS	0032
					Message : Object QTMPSPCQ in QTCP type *USRQ deleted.					
CPC2206	Completion	00	02/04/09	13:57:20.765472	QSYCHONR	QSYS	0665	QTMPLPDQ	QTCP	*STMT
					To module : QTMPLPDS			To procedure : DoCLCommand		
					Statement : 39			Message : Ownership of object QTMPSPRVQ in QTCP type *USRQ changed.		
					Cause : The ownership of object QTMPSPRVQ in library QTCP type *USRQ has changed.					
CPC2206	Completion	00	02/04/09	13:57:22.238016	QSYCHONR	QSYS	0665	QTMPLPDQ	QTCP	*STMT
					To module : QTMPLPDS			To procedure : DoCLCommand		
					Statement : 39			Message : Ownership of object QTMPSPCQ in QTCP type *USRQ changed.		
					Cause : The ownership of object QTMPSPCQ in library QTCP type *USRQ has changed.					
CPC1221	Completion	00	02/04/09	13:57:25.057128	QWTCCSBJ	QSYS	01DC	QTMPJOBS	QTCP	*STMT
					To module : QTMPLPDS			To procedure : DoCLCommand		
					Statement : 39			Message : Job 014182/QTCP/QTLPD04970 submitted to job queue QSYSNOMAX in library QSYS.		
CPC1221	Completion	00	02/04/09	13:57:26.027344	QWTCCSBJ	QSYS	01DC	QTMPJOBS	QTCP	*STMT
					To module : QTMPLPDS			To procedure : DoCLCommand		
					Statement : 39			Message : Job 014183/QTCP/QTLPD04997 submitted to job queue QSYSNOMAX in library QSYS.		
TCP1A0F	Completion	00	02/04/09	13:57:29.372960	QTOCSRVR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS			To procedure : main		
					Statement : 15			Message : LPD server starting.		
CPC2191	Completion	00	02/04/09	13:58:00.193880	QLIDLOBJ	QSYS	051B	QYPSUTIL	QSYS	*STMT
					To module : QYPSDATAQU			To procedure : Delete__12ypsDataQueueFv		
					Statement : 46			Message : Object QYPSJDTAQ in QMGTC2 type *DTAQ deleted.		
CPC2191	Completion	00	02/04/09	13:58:03.218464	QLIDLOBJ	QSYS	051B	QUSDLTUQ	QSYS	0032
					Message : Object QYPS014169 in QGPL type *USRQ deleted.					
CPC1221	Completion	00	02/04/09	13:58:06.034016	QWTCCSBJ	QSYS	01DC	QYPSMISC	QSYS	*STMT
					To module : QYPSJOBJOB					

Job name : QTCPSTSVRS User : QTCP Number : 014169
 Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					To procedure : submit__6ypsJobFPcN6li Statement : 57 Message : Job 014184/QYPSJSVR/QYPSJSVR submitted to job queue QSYSNOMAX in library QSYS.					
TCP1A0F	Completion	00	02/04/09	13:59:09.485144	QTOCSR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : MGTC server starting.					
CPC1221	Completion	00	02/04/09	14:00:02.557984	QWTCCSBJ	QSYS	01DC	QZLSSTRS	QSYS	*STMT
					From user : QSECOFR To module : QZLSSTRS To procedure : main Statement : 92 Message : Job 014192/QPGMR/QZLSSERVER submitted to job queue QPWFSEVER in library QSYS.					
TCP1A0F	Completion	00	02/04/09	14:00:03.438872	QTOCSR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : NETSVR server starting.					
CPC1221	Completion	00	02/04/09	14:00:11.252280	QWTCCSBJ	QSYS	01DC	QC2SYS	QSYS	*STMT
					To module : QC2SYS To procedure : system Statement : 6 Message : Job 014193/QTCP/QTSMTPSRVD submitted to job queue QSYSNOMAX in library QSYS.					
TCP1A0F	Completion	00	02/04/09	14:00:11.646512	QTOCSR	QSYS	0CBF	QTOCSTSVRS	QSYS	*STMT
					To module : QTOCSTSVRS To procedure : main Statement : 15 Message : SMTP server starting.					
CPD1475	Diagnostic	30	02/04/09	14:00:23.770800	QWDMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT
					To module : QZSOSVCT To procedure : QzsoAddRoutingTableEnts Statement : 17 Message : Routing entry sequence number 2536 already exists. Cause : One of the following errors occurred: -- The routing entry with sequence number 2536 already exists. -- The sequence number {SEQNBR parameter} was not specified correctly. Recovery . . . : Omit the command, or change the sequence number {SEQNBR parameter} and then try the command again. To change the routing entry, use the CHGRTGE command.					
CPD1495	Diagnostic	20	02/04/09	14:00:23.771232	QWDMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT
					To module : QZSOSVCT To procedure : QzsoAddRoutingTableEnts Statement : 17 Message : Compare value conflicts with routing entry 2536. Cause : The compare value specified conflicts with that for routing entry 2536. 0 additional conflicts exist. Recovery . . . : Change the compare value {CMPVAL parameter on the CHGRTGE command} and then try the request again.					
CPC1221	Completion	00	02/04/09	14:00:27.008792	QWTCCSBJ	QSYS	01DC	QC2SYS	QSYS	*STMT

Job name : QTCPSTSVRS User : QTCP Number : 014169
 Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
					Statement	: 6				
					Message	: Job 014196/QUSER/QNPSEVRD submitted to job queue QSYSNOMAX in library QSYS.				
CPD1475	Diagnostic	30	02/04/09	14:00:31.731784	QWDMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT
					To module	: QZSOSVCT				
					To procedure	: QzsoAddRoutingTableEnts				
					Statement	: 17				
					Message	: Routing entry sequence number 2539 already exists.				
					Cause	: One of the following errors occurred: -- The routing entry with sequence number 2539 already exists. -- The sequence number {SEQNBR parameter} was not specified correctly. Recovery . . . : Omit the command, or change the sequence number {SEQNBR parameter} and then try the command again. To change the routing entry, use the CHGRTGE command.				
CPD1495	Diagnostic	20	02/04/09	14:00:31.732056	QWDMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT
					To module	: QZSOSVCT				
					To procedure	: QzsoAddRoutingTableEnts				
					Statement	: 17				
					Message	: Compare value conflicts with routing entry 2539.				
					Cause	: The compare value specified conflicts with that for routing entry 2539. 0 additional conflicts exist. Recovery . . . : Change the compare value {CMPVAL parameter on the CHGRTGE command} and then try the request again.				
CPC1221	Completion	00	02/04/09	14:00:32.682704	QWTCCSBJ	QSYS	01DC	QC2SYS	QSYS	*STMT
					To module	: QC2SYS				
					To procedure	: system				
					Statement	: 6				
					Message	: Job 014197/QUSER/QZRCRSRVD submitted to job queue QSYSNOMAX in library QSYS.				
CPD1475	Diagnostic	30	02/04/09	14:00:33.697368	QWDMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT
					To module	: QZSOSVCT				
					To procedure	: QzsoAddRoutingTableEnts				
					Statement	: 17				
					Message	: Routing entry sequence number 2540 already exists.				
					Cause	: One of the following errors occurred: -- The routing entry with sequence number 2540 already exists. -- The sequence number {SEQNBR parameter} was not specified correctly. Recovery . . . : Omit the command, or change the sequence number {SEQNBR parameter} and then try the command again. To change the routing entry, use the CHGRTGE command.				
CPD1495	Diagnostic	20	02/04/09	14:00:33.697648	QWDMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT
					To module	: QZSOSVCT				
					To procedure	: QzsoAddRoutingTableEnts				
					Statement	: 17				
					Message	: Compare value conflicts with routing entry 2540.				
					Cause	: The compare value specified conflicts with that for routing entry 2540. 0 additional conflicts exist. Recovery . . . : Change the compare value {CMPVAL parameter on the CHGRTGE command} and then try the request again.				
CPC1221	Completion	00	02/04/09	14:00:36.383720	QWTCCSBJ	QSYS	01DC	QC2SYS	QSYS	*STMT
					To module	: QC2SYS				
					To procedure	: system				
					Statement	: 6				
					Message	: Job 014198/QUSER/QZSOSGND submitted to job queue QSYSNOMAX				

Job name : QTCPSTSVRS User : QTCP Number : 014169
 Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST	
					in library QSYS.						
CPD1475	Diagnostic	30	02/04/09	14:00:38.495928	QWDMMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT	
					To module	:		QZSOSVCT			
					To procedure	:		QzsoAddRoutingTableEnts			
					Statement	:		17			
					Message	:		Routing entry sequence number 200 already exists.			
					Cause	:		One of the following errors occurred: -- The routing entry with sequence number 200 already exists. -- The sequence number {SEQNBR parameter} was not specified correctly. Recovery . . . : Omit the command, or change the sequence number {SEQNBR parameter} and then try the command again. To change the routing entry, use the CHGRTGE command.			
CPD1495	Diagnostic	20	02/04/09	14:00:38.496200	QWDMMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT	
					To module	:		QZSOSVCT			
					To procedure	:		QzsoAddRoutingTableEnts			
					Statement	:		17			
					Message	:		Compare value conflicts with routing entry 200.			
					Cause	:		The compare value specified conflicts with that for routing entry 200. 0 additional conflicts exist. Recovery . . . : Change the compare value {CMPVAL parameter on the CHGRTGE command} and then try the request again.			
PWS3004	Information	10	02/04/09	14:00:38.731648	QZSOSEHS	QSYS	*STMT	QZSOSEHS	QSYS	*STMT	
					From module	:		QZSOSEHS			
					From procedure	:		StrSvrProc			
					Statement	:		35			
					To module	:		QZSOSEHS			
					To procedure	:		StrSvrProc			
					Statement	:		35			
					Message	:		Host server daemon job already active.			
					Cause	:		A request was issued to start the *FILE daemon job. However, this daemon job is either already active or the daemon job is not active but it's program, QSYS/QPWFSESRVSD, is allocated by another job. Recovery . . . : If the daemon job's program is active in the QSYSWRK or QSERVER subsystem, then the daemon job is already active and no recovery is necessary. Otherwise, use the WRKOBJLCK CL command to determine if the *PGM object is allocated by another job. Run the command again after the *PGM object is no longer allocated.			
CPD1475	Diagnostic	30	02/04/09	14:00:39.247504	QWDMMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT	
					To module	:		QZSOSVCT			
					To procedure	:		QzsoAddRoutingTableEnts			
					Statement	:		17			
					Message	:		Routing entry sequence number 600 already exists.			
					Cause	:		One of the following errors occurred: -- The routing entry with sequence number 600 already exists. -- The sequence number {SEQNBR parameter} was not specified correctly. Recovery . . . : Omit the command, or change the sequence number {SEQNBR parameter} and then try the command again. To change the routing entry, use the CHGRTGE command.			
CPD1495	Diagnostic	20	02/04/09	14:00:39.247776	QWDMMMSG	QSYS	0117	QZSOSVCT	QSYS	*STMT	
					To module	:		QZSOSVCT			
					To procedure	:		QzsoAddRoutingTableEnts			
					Statement	:		17			
					Message	:		Compare value conflicts with routing entry 600.			
					Cause	:		The compare value specified conflicts with that for			

Job name : QTCPSTSVRS User : QTCP Number : 014169
Job description : QTOCTCPIP Library : QSYS

Table with columns: MSGID, TYPE, SEV, DATE, TIME, FROM PGM, LIBRARY, INST, TO PGM, LIBRARY, INST. It contains multiple rows of job logs, including completion messages (CPC1221, CPC2191) and diagnostic messages (CPD1475, CPD1495) with detailed error descriptions and recovery instructions.

Job name : QTCPSTSVRS User : QTCP Number : 014169
Job description : QTOCTCPIP Library : QSYS

MSGID	TYPE	SEV	DATE	TIME	FROM PGM	LIBRARY	INST	TO PGM	LIBRARY	INST
-------	------	-----	------	------	----------	---------	------	--------	---------	------

<http://www.ibm.com/eserver/series/infocenter>.